GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – Allegations of irregularities leveled against the Work Orders issued for certain works by water supply department of GVMC in Gazuwaka and Anakapalli areas by Sri G.V.Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam – Departmental Proceedings under Rule-20 of the A.P. Civil Service (Classification, Control and Appeal) Rules, 1991 - Article of charges - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.I) DEPARTMENT

G.O.Rt.No.134 **Dated.05.02.2024.**

Read the following:

1) From the Director General, G.A. (V&E) Department, Vigilance Report No.02 (C.No.524/V&/Engg/2018), dated.28.04.2022.
2) Govt.Memo.No.1762810/Vig.I/2022, dated.11.08.2022 and 08.01.2024.
3) From the Engineer- In- Chief, A.P., Guntur, Ir. No. 37133/CS2/GVMC/VR2/2022 dated: 19.01.2024.

-oOo-

O R D E R:

It is proposed to hold an enquiry against Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 for not following the tender norms in various works taken up by water supply sector of GVMC in Anakapalli and Gazuwaka.

2. The statement of articles of charges and statement of imputations of misconduct and misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures - I& II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures - III & IV.

3. Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam is directed to submit his written statement of defense within (10) days from the date of receipt of this order.

4. Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam is further informed that if he does not submit his written statement of defence on or before the date specified in para-3 above, further action will be processed based on the material available.

(P.T.O)

6. Attention of Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam is invited to Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that said Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of the G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri G.V. Pallam Raju, the then Executive Engineer, GVMC., Visakhapatnam -
through the Commissioner, GVMC., Visakhapatnam/ the E-in-C, P.H., Tadepalli, Guntur.
The Engineer-In-Chief(PH)., A.P., Tadepalli, Guntur.
The Commissioner, GVMC., Visakhapatnam

Copy to:
The Secretary to A.P. Vigilance Commission, 5th Building, A.P. Secretariat.
SF / SC.

// FORWARDED BY ORDER //

SECTION OFFICER.